

SEALING SOLUTIONS

Life Science



LSR

乙

Medical Compound

FFKM				
Compound	Hardness (Shore A)	Color	Service Temp. (°C)	Features
PERFREZ 🐝 9082E	70	White	-10~230	USP class VI FDA 21 CFR 177.2600 (e)~(f) Broad Chemical resistant
SILICONE				
S7049AY	70	Transparent	-55~200	USP class VI Compliant FDA 21 CFR Compliant Platinum cured
S6560AY	70	Transparent	-55~200	ISO-10993 USP class VI Compliant FDA 21 CFR Compliant Platinum cured
S7014AY	70	Transparent	-55~200	USP class VI Compliant FDA 21 CFR Compliant Peroxide cured
EPDM				
E7003AP	70	White	-40~150	USP class VI Excellent Gamma resistant
E7083AA	70	Black	-40~150	FDA 21 CFR 177.2600 (a)~(f) Excellent Gamma resistant
FKM				
V7092AP	70	White	-10~250	USP class VI FDA 21 CFR 177.2600 (a)~(d) High temp. grade



Why Applied Seals?

Applied Seals, ISO-13485 certified, offers variety of materials that including USP VI, ISO-10993 and FDA grades.

We have co-operated with world class rubber material suppliers, Dow, Wacker and Nusil, to ensure the sufficient compound and capability to meet medical requirements.

Products



Cleanliness Control



LSR

No-post-cure LSR makes production cycle short, improves the production efficiency and good for large-volume products.

Its closed-loop system significanfly minimized the cross-contamination and offered best cleanliness control.





APPLIED SEALS CO, LTD.

No.16, Lu Kung North 2nd Road., Lukang, Chang Hua County 505, Taiwan.**TEL :** +886-4-781-2299**FAX :** +886-4-781-0289**MAIL :** service@appliedseals.com**WEBSITE :** www.appliedseals.com